



Communication concerning approval of a type of device pursuant to Regulation No 7

	Approval No	E5*07R07/27*02789*00
1.	Trade name or mark of the device	Standby
2.	Manufacturer's name for the type of device	LED lamp RD52 Red, Stop/position lamp, S1, R, R1, Horizontal Lamp, 452 6 702X
3.	Manufacturer's name and address	Standby AB Nohabgatan 12C 461 53 TROLLHÄTTAN
4.	If applicable, name and address of the manufacturer's representative	-
5.	Submitted for approval on	2018-12-10
6.	Technical service responsible for conducting approval tests	RISE Research Institutes of Sweden Box 857 SE-501 15 BORÅS
7.	Date of report issued by that service	2019-02-05 2019-02-06
8.	Number of report issued by that service	MTt8P09944-2 MTt8P09944-3
9.	Concise description	The light source is a module for mounting on the vehicle body, in the rearward direction. It consists of one LED unit (1 × 6 diodes) with a clear transparent lens.
9.1	By category of lamp:	
	For mounting either outside or inside or both (strike out what does not apply)	Outside
	Colour of light emitted (strike out what does not apply)	Red
	Number, category and kind of light source(s)	One LED unit (1x6 diodes)
	Voltage and wattage:	+10-30 VDC
	Light source module specific identification code:	N.A.

	Only for installation on M1 and/or N1 category vehicles:	no
	Only for limited mounting height of equal to or less than 750 mm above the ground:	no
	Geometrical conditions of installation and relating variations, if any:	N.A.
	Application of an electronic light source control gear/variable intensity control:	
	(a) Being part of the lamp:	no
	(b) Being not part of the lamp:	yes
	Input voltage(s) supplied by an electronic light source control gear/variable intensity control:	N.A.
	Electronic light source control gear/variable intensity control manufacturer and identification number (when the light source control gear is part of the lamp but is not included into the lamp body):	N.A.
	Variable luminous intensity:	no
9.2	Function(s) produced by an interdependent lamp forming part of an interdependent lamp system:	
	Front position lamp	N.A.
	R1 Rear position lamp yes/ no	yes
	R2 Rear position lamp	no
	S1 Stop lamp	yes
	S2 Stop lamp	no
	S3 Stop lamp	no
	S4 Stop lamp	no



End-outline marker lamp no

10. Position of the approval mark On rear of lamp housing. See document X4526702XA

11. Reason for extension (if applicable) -

12. Approval granted (strike out what does not apply) Granted

13. Place Borlänge

14. Date 2019-02-26

15. Signature



Patrik Hammarbäck

16. The list of documents deposited with the Administrative Service, which has granted approval, is annexed to this communication and may be obtained on request.

Category R and R1

- Technical information
- Test report MTt8P09944-3

Category S1

- Technical information
- Test report MTt8P09944-2