



Communication concerning approval granted of a type of device pursuant to Regulation No 6

Approval No E5*6R01/28*0630

Extension No 00

- | | | |
|-----|--|---|
| 1. | Trade name or mark of the device | W3 inner LED lamp module, Blue/Amber, Red/Amber, White/Amber, Green/Amber, 0/Amber |
| 2. | Manufacturer's name for the type of device | 899 X 23X8 |
| 3. | Manufacturer's name and address | Standby AB
Nohabgatan 12C
461 53 TROLLHÄTTAN |
| 4. | If applicable, name and address of the manufacturer's representative | - |
| 5. | Submitted for approval on | 2017-11-09 |
| 6. | Technical service responsible for conducting approval tests | RISE Research Institutes of Sweden AB
Box 857
SE-501 15 BORÅS |
| 7. | Date of report issued by that service | 2018-04-12 |
| 8. | Number of report issued by that service | MTt7P08101-1 |
| 9. | Concise description | The light source is a module for mounting in a ramp, either in the forward or rearward direction. It consists of one LED unit (1 × 6 diodes) with a clear transparent lens. |
| 9.1 | By category of lamp: | Direction Indicator |
| | Number, Category | 1 and 2a |
| | Function(s) produced by an interdependent lamp forming part of an interdependent lamps system: | (**) |
| | Voltage and wattage: | +9 – 32 V DC / - |
| | Light source module specific | (**) |

identification code:

Only for limited mounting height of
equal to or less than 750 mm above
the ground: no

Geometrical conditions of installation
and relating variations, if any: no

Application of an electronic light
source control gear/variable
intensity control:

(a) Being part of the lamp: no
(b) Being not part of the lamp: yes

Input voltage(s) supplied by an
electronic light source control
gear/variable
intensity control: N/A

Electronic light source control
gear/variable intensity control
manufacturer
and identification number (when the
light source control gear is part of
the lamp but is not included into the
lamp body): N/A

Variable luminous intensity: no

Sequential activation of light
sources (see paragraph 5.6. of this
Regulation): (**)

- | | | |
|----|--|---------------------------|
| 10 | Position of the approval mark: | See document X899 X 23X8A |
| 11 | Reason(s) for extension (if applicable): | - |
| 12 | Approval: | Granted |
| 13 | Place: | Borlänge |
| 14 | Date: | 2018-05-04 |

15 Signature:



Lars Rask

16. The list of documents deposited with the Administrative Service which has granted approval is annexed to this communication and may be obtained on request.

- Technical information TD 899X23X8, 1 page
- Test report MTt7P08101-1, 8 pages

(*) See manufacturers information document

(**) See test report