



Communication concerning approval granted of a type of device pursuant to Regulation No 6

Approval No E5\*6R04/29\*0632\*00

- |     |  |   |
|-----|--|---|
| 1.  | Trade name or mark of the device   | LED lamp AM52 Amber Direction indicator<br>1,2a Horizontal  |
| 2.  | Manufacturer's name for the type of device   | 452 8 702X  |
| 3.  | Manufacturer's name and address  | Standby AB<br>Nohabgatan 12C<br>461 53 TROLLHÄTTAN  |
| 4.  | If applicable, name and address of the manufacturer's representative                           | -   |
| 5.  | Submitted for approval on  | 2018-12-10  |
| 6.  | Technical service responsible for conducting approval tests                                    | RISE Research Institutes of Sweden AB<br>Box 857<br>SE-501 15 BORÅS   |
| 7.  | Date of report issued by that service  | 2019-02-06  |
| 8.  | Number of report issued by that service  | MTt8P09944-1  |
| 9.  | Concise description  | The light source is a module for mounting on the vehicle body, either in the forward or rearward direction. It consists of one LED unit (1 × 6 diodes) with a clear transparent lens. |
| 9.1 | By category of lamp:   | Direction Indicator   |
|     | Number, Category   | 1 and 2a  |
|     | Function(s) produced by an interdependent lamp forming part of an interdependent lamps system: | (**)  |
|     | Voltage and wattage:   | +10 – 30 V DC / -   |
|     | Light source module specific identification code:  | (**)  |

	Only for limited mounting height of equal to or less than 750 mm above the ground:	no
	Geometrical conditions of installation and relating variations, if any:	no
	Application of an electronic light source control gear/variable intensity control:	
	(a) Being part of the lamp:	no
	(b) Being not part of the lamp:	yes
	Input voltage(s) supplied by an electronic light source control gear/variable intensity control:	N/A
	Electronic light source control gear/variable intensity control manufacturer and identification number (when the light source control gear is part of the lamp but is not included into the lamp body):	N/A
	Variable luminous intensity:	no
	Sequential activation of light sources (see paragraph 5.6. of this Regulation):	(**)
10	Position of the approval mark:	On mounting side of lamp housing. See document X4528702XA
11	Reason(s) for extension (if applicable):	-
12	Approval:	Granted

- 13 Place: Borlänge
- 14 Date: 2019-02-26
- 15 Signature:



Patrik Hammarbäck

16. The list of documents deposited with the Administrative Service, which has granted approval, is annexed to this communication and may be obtained on request.

Category 1

- Technical information TD4528702XA, 1 page
- Test report MTt8P09944-1, 11 pages

Category 2

- Technical information TD4528702XA, 1 page
- Test report MTt8P09944-1, 11 pages

(\*) See manufacturer's information document

(\*\*) See test report