



Communication concerning approval granted of a type of device pursuant to Regulation No 6

	Approval No 01628	Extension No
1.	Trade name or mark of the device	LED Lamp L88 Amber
2.	Manufacturer's name for the type of device	488 8 7X2X
3.	Manufacturer's name and address	Standby AB Nohabgatan 12C 461 53 TROLLHÄTTAN
4.	If applicable, name and address of the manufacturer's representative	-
5.	Submitted for approval on	2016-09-20
6.	Technical service responsible for conducting approval tests	SP Technical Research Institute of Sweden Box 857 SE-501 15 BORÅS
7.	Date of report issued by that service	2016-11-29
8.	Number of report issued by that service	MTt6P07566-1
9.	Concise description	
9.1	By category of lamp:	
	Number, Category	2a
	Function(s) produced by an interdependent lamp forming part of an interdependent lamps system:	(**)
	Voltage and wattage:	+9 – 32 V DC / -
	Light source module specific identification code:	(**)
	Only for limited mounting height of equal to or less than 750 mm above the ground:	no

Geometrical conditions of installation
and relating variations, if any: no

Application of an electronic light
source control gear/variable
intensity control:

(a) Being part of the lamp: no
(b) Being not part of the lamp: yes

Input voltage(s) supplied by an
electronic light source control
gear/variable
intensity control: N/A

Electronic light source control
gear/variable intensity control
manufacturer
and identification number (when the
light source control gear is part of
the lamp but is not included into the
lamp body): N/A

Variable luminous intensity: no

Sequential activation of light
sources (see paragraph 5.6. of this
Regulation): (**)

10 Position of the approval mark: See document X48887X2XB

11 Reason(s) for extension (if
applicable): -

12 Approval: Granted

13 Place: Borlänge

14 Date: 2016-12-16

15 Signature:



Lars Rask

16. The list of documents deposited with the Administrative Service which has granted approval is annexed to this communication and may be obtained on request.

- Technical information TD48887XXX3, 1 page
- Test report MTt6P07566-1, 6 pages

(*) See manufacturers information document

(**) See test report
